A Trauma Informed & Neurobiological Framework for Motivational Interviewing Implementation




Deborah Borne, MD, MSW, Medical Director Transitions Gare Coordination, San Francisco Department of Public Health) Matt Bennett, MBA, MA (Chief Innovations Officer, Coldspring Center)

Connecting Paradigms

Positioning Best Practices for Improved Health Outcomes


TRAUMA INFORMED CHANGE SUPPORT HAPPENS AT EVERY STAGE OF CARE
Goals of Care and treatment occur across the continuum



Matt Bernett, MBA, MA Coldspring Center for Social & Health Innov coldspringconter.org

mettajkcoldepringcerner.org depringcenter.org/mattemumblin ebook.com/coldspringcenter iner.com/Matte_mumblings

A Trauma Informed & Neurobiological Framework for Motivational Interviewing Implementation



Deborah Borne, MD, MSW, Medical Director Transitions Care Coordination, San Francisco Department of Public Health) Matt Bennett, MBA, MA (Chief Innovations Officer, Coldspring Center)

Positioning Best Practices for Improved Health Outcomes

TRAUMA INFORMED CHANGE SUPPORT HAPPENS AT EVERY STAGE OF CARE
Goals of Care and treatment occur across the continuum

Outreach


Engage/
Linkage


Actively 'In
Care'

Transitions

Goals of Care and treatment occur across the continuum







Outreach to Engagement/ Linkage

Outreach

Engage/ Linkage

Actively 'In Care'

Outcomes & Transitions



Past trauma: Big T trauma

Present hardships: Small t trauma

Complex trauma

Neurobiology


Survival focused

Stress or traumatic response: flight, fight, or freeze

Difficulty effectively engaging in strategic conversations

Stages of Change: Pre-contemplation

Stages of Change Model




Motivational Interviewing

Support and effective listening

- Open-ended questions/statements
- Affirmations
- Reflections
- Summaries

Make resources as tangible as possible: Warm hand off




Outreach to Engagement/ Linkage

Outreach

Engage/ Linkage

Actively 'In Care'

Outcomes & Transitions



Trauma Informed

Educating clients on their own neurobiology and trauma

Personal narrative work

- Trauma
- Homelessness

Therapeutic support - referrals




Difficulties with memory, learning, and retention of knowledge

Impacts of rigid/chaotic reactions

DHT vs. Oxytocin

Stages of Change: All Over the Place!!

Stages of Change Model




Harm Reduction

Compassionate pragmatism

Harmful behaviors have always and will always happen

Doesn't mean we condone or promote harmful behaviors



Low Threshold for Services

High threshold:

Expectations client can not meet in current state

Client level of

neurological health

Low threshold:

Meet client where they are at Work on range of issues
Opens services to a larger population

Motivational Interviewing

Engaged

Disengaged

Hope

Assessment

Importance


Premature Focus

Goals

Labeling

Expectations


Chatting



Trauma Informed

Support and resources

Mindfulness






Changing behaviors means changing the physical structure of the brain


Stages of Change: Action

Stages of Change Model



Motivational Interviewing

Determinants of Health Outcomes



Positioning Best Practices for Improved Health Outcomes

TRAUMA INFORMED CHANGE SUPPORT HAPPENS AT EVERY STAGE OF CARE
Goals of Care and treatment occur across the continuum

Outreach

Engage/
Linkage

Actively 'In
Care'

Transitions